

**NORTON**

SAINT-GOBAIN®

Reshaping  
your  
world.

NORTON  
SANDING  
TOOLS



  
SAINT-GOBAIN

## NORTON RANDOM ORBITAL SANDER

### ERGONOMIC LEVER

Well-balanced for smooth handling for comfort operation

**WELL-BALANCED**  
for smooth handling

### LIGHT-WEIGHT COMPOSITE HOUSING

is thermal-insulated to reduce vibration and cold air transmission to operator

### 360 DEGREE


Air Exhaust for Central Vacuum

### BUILT-IN POWER REGULATOR

for optimized power control

### 12,000RPM FREE SPEED

for swirl-free finishes



### FEATURE:

- 12,000 rpm free speed for swirl-free finishes
- Durable composite design
- Built-in power regulator for optimized power control
- Well-balanced for smooth handling
- 360 degree air exhaust is available for Central Vacuum

### APPLICATION:

Auto body shop paint parts, auto bumper fabricated metal parts, steel caps, fiberglass boats, final finish sanding, wood furnitures, architectural millwork, etc.



### Dual Action Sander (Non Vacuum)



### Dual Action Sander (Self Generating Vacuum)



### Dual Action Sander (Central Vacuum)



Model	Pad Size		Orbit Dia		Horse Power	Watt	Free Speed	Weight		Avg. Air Consumption
	in	mm	in	mm	HP	W	RPM	Lbs	Kgs	CFM L/Min
Dual Action Sander (Non Vacuum)	5	127	3/16	5	0.25	186	12,000	1.51	0.68	2.0 57
Dual Action Sander (Self Generating Vacuum)	5	127	3/16	5	0.25	186	12,000	1.43	0.65	2.0 57
Dual Action Sander (Central Vacuum)	6	152	3/16	5	0.25	186	12,000	1.73	0.78	2.0 57
Dual Action Sander (Central Vacuum)	6	152	3/32	3	0.25	186	12,000	1.73	0.78	2.0 57

# NORTON PORTABLE VACUUM SYSTEM



## FEATURE:

- Flexible one-piece mobile design
- Super suction
- Large storage of dust capacity
- Internal cold/hot wind independent shunt design of motor

Shape Size (mm)	1000 x 330 x 1560mm (L x W x H)	Weight	40kg
Power consumption	350 - 1200W	Filter surface area	6800cm <sup>2</sup>
Rubber insulated mains cable	5M	Operation Pressure	0.7MPa
Max. appliance socket connected load	≤600W	Voltage	220v/50HZ
Container/filter bag capacity	36L/34L	Max. vacuum	≥28000 Pa/240 mbar
Noise level	Lower than 78 dB(A)	Standard Scheme	<ol style="list-style-type: none"> <li>1. Dust extractor</li> <li>2. Workcenter</li> <li>3. Service unit</li> <li>4. 5M suction hose set</li> <li>5. Dust extract manual sanding block set (70x198)</li> </ol>

# NORTON RECTANGULAR DUAL ACTION SANDER

## FEATURE:

- Free Speed: 10,000 OPM
- Orbit: 3mm
- Motor: 0.24hp
- Pad Size: 3" x 8" (70mm x 198mm)
- Air Flow: 16 SCFM
- Height: 4.5"
- Length: 10.20"
- Weight: 2.05lbs (0.93Kg)

## APPLICATION:

- Metal working application
- welding spot and weld removal
- Edge grinding
- Burr removal
- Rust removal, cleaning



# NORTON HAND FILE BELT SANDER

## FEATURE:

- Versatility Kit: one motor with three contact arms for 1/4", 1/2" and 3/4" width x 18" length belts
- One step & one-hand belt change mechanism design
- Allen wrench storage design
- Regulator mechanism for speed adjustment
- Safety Belt Cover design
- Optional short lever and long lever & safety design
- Soft grip prevents discomfort from cold temperature
- Wide Dust Cover to prevent the users getting hurt by spark



## APPLICATION:

Strap-polishing, working in narrow openings, paint removal, weld sanding, smoothing and rust removal

# NORTON HAND FILE BELT SANDER

## Innovation Solution



### Advantage

- High efficiency
- Long life
- Better grinding
- Use friendly
- Multi-function
- Lower cost

### Disadvantage

- Low efficiency
- Short life
- Difficult to operate
- High risk of board damage risk
- Re-work risk
- High cost

## Traditional Solution



UPC	Description	Picture
69957307131	Norton Vacuum System(professional)	
66261135173	NOR 6inch 2.5mm Orbital Sander Central-vac (pneumatic)	
66261135174	NOR 6inch 2.5mm Orbital Sander Central-vac (pneumatic)	
69957330901	NOR 70x198mm Central Vacuum Orbital Sand	
78072711806	NOR 127-5mm Orbital Sander Non-vac (pneumatic)	
78072711810	NOR 127-5mm Orbital Sander Self-vac 5h++ (pneumatic)	
78072711811	NOR 19x457mm File belt sander (pneumatic)	

  
SAINT-GOBAIN



**Arcent (Singapore) Pte Ltd**  
2 Yishun Industrial Street 1  
Northpoint Bizhub #07-11  
Singapore 768139  
Tel: +65 6356 6997 Fax: +65 6356 4854  
sales@arcentwelding.com  
[www.arcentwelding.com](http://www.arcentwelding.com)



[www.saint-gobain-abrasives.com/en-sea](http://www.saint-gobain-abrasives.com/en-sea)



[www.nortonabrasives.com/en-sea](http://www.nortonabrasives.com/en-sea)



Norton Abrasives SEA



Saint-gobain Abrasives South-East Asia