


BND Features and Benefits




Quality Standards


All torches are rigorously tested using computerised and automated test equipment at the design stage through to production. All components pass rigorous quality control checks prior to assembly. All torches are designed to be tough and damage resistant and comply with EN60974-7.




BND Nozzles




Stock Code	Description	Bore	Model
A 4391	Brass Nozzle	16mm/5/8"	PEZ 200E-350A, PEZ G
4393	Copper Nozzle	16mm/5/8"	PEZ 200E-350A, PEZ G




Stock Code	Description	Bore	Model
B 4392	Brass Nozzle	13mm/1/2"	PEZ 200E-350A, PEZ G
4394	Copper Nozzle	13mm/1/2"	PEZ 200E-350A, PEZ G



Stock Code	Description	Bore	Model
C 4295	Brass Nozzle Pipeline	10mm/3/8"	PEZ 200E-350A, PEZ G



Stock Code	Description	Bore	Model
D 4491	Brass Nozzle	19mm/3/4"	PEZ 400E- H/F
4591	Copper Nozzle	19mm/3/4"	PEZ 400E- H/F




Stock Code	Description	Bore	Model
E 4492	Brass Nozzle	14mm/9/16"	PEZ 400E- H/F
E1 4492HD	Brass Nozzle	14mm/9/16"	PEZ 400E- H/F
4592	Copper Nozzle	14mm/9/16"	PEZ 400E- H/F


Roll Marking

All Parweld consumables are roll marked to enable you to identify genuine Parweld product.


BND Contact Tips



Stock Code	Description	Material	Wire Size	Model
A 7497	Contact Tip	ECu	0.6mm/.023"	Range
7488	Contact Tip	ECu	0.8mm/.030"	Range
7489	Contact Tip	ECu	0.9mm/.035"	Range
7496	Contact Tip	ECu	1.0mm/.040"	Range
7490	Contact Tip	ECu	1.2mm/.045"	Range
7498	Contact Tip	ECu	1.3mm/.052"	Range
7491	Contact Tip	ECu	1.6mm/1/16"	Range
7492	Contact Tip	ECu	2.0mm/5/64"	Range
7493	Contact Tip	ECu	2.4mm/3/32"	Range




Stock Code	Description	Material	Wire Size	Model
B 4281	Contact Tip Pipeline	ECu	0.9mm/.035"	Range
4282	Contact Tip Pipeline	ECu	1.2mm/.045"	Range




Stock Code	Description	Material	Wire Size	Model
C 1588	Contact Tip	ECu	0.8mm/.030"	Range
1589	Contact Tip	ECu	0.9mm/.035"	Range
1596	Contact Tip	ECu	1.0mm/.040"	Range
1590	Contact Tip	ECu	1.2mm/.045"	Range
1598	Contact Tip	ECu	1.3mm/.052"	Range
1591	Contact Tip	ECu	1.6mm/1/16"	Range
1592	Contact Tip	ECu	2.0mm/5/64"	Range
1593	Contact Tip	ECu	2.4mm/3/32"	Range
1594	Contact Tip	ECu	2.8mm/1/10"	Range

BND Head Assemblies



Stock Code	Description	Tip Series	Model
A 4335	Head Assembly	7400	PEZ200-350A
4235	Head Assembly	1500	EZQ200-350A



Stock Code	Description	Tip Series	Model
B 4435	Head Assembly	7400	PEZ400E, EZQ 500A
4635	Head Assembly	1500	PEZ600E,H,F

BND Liner Selector Chart


Stock Code	Description	Length	Wire Size	Model	PEZ 200E	PEZ 300E	PEZ 400E	PEZ 600E*	EZ Q 200A*	EZ Q 350A	EZ Q 500A*	PEZ G*	PEZ H*	PEZ F*
A 43010	Steel Liner Plastic Nipple	10ft	.023"-.030"/0.6-0.8mm		☒	☐	☐	☐	☒	☐	☐	☐	☐	☐
43015	Steel Liner Plastic Nipple	15ft	.023"-.030"/0.6-0.8mm		☒	☐	☐	☐	☒	☐	☐	☐	☐	☐
A 43110	Steel Liner Plastic Nipple	10ft	.030"-.045"/0.8-1.2mm		☒	☒	☐	☐	☒	☒	☐	☒	☒	☐
43115	Steel Liner Plastic Nipple	15ft	.030"-.045"/0.8-1.2mm		☒	☒	☐	☐	☒	☒	☐	☒	☒	☐
B A43110	Steel Liner Brass Nipple	10ft	.030"-.045"/0.8-1.2mm		☐	☒	☐	☐	☒	☒	☐	☒	☒	☐
A43115	Steel Liner Brass Nipple	15ft	.030"-.045"/0.8-1.2mm		☐	☒	☐	☐	☒	☒	☐	☒	☒	☐
C 43115X	Polyamide Liner Brass Nipple	15ft	.035"-.045"/0.9-1.2mm		☐	☒	☐	☐	☐	☒	☒	☒	☒	☐
A 43210	Steel Liner Plastic Nipple	10ft	.045"-1/16"/1.2-1.6mm		☐	☒	☐	☐	☐	☐	☐	☐	☐	☐
43215	Steel Liner Plastic Nipple	15ft	.045"-1/16"/1.2-1.6mm		☐	☒	☐	☐	☐	☐	☐	☐	☐	☐
A 44110	Steel Liner Plastic Nipple	10ft	.030"-.045"/0.8-1.2mm		☐	☐	☒	☐	☐	☐	☐	☐	☐	☐
44115	Steel Liner Plastic Nipple	15ft	.030"-.045"/0.8-1.2mm		☐	☐	☒	☐	☐	☐	☐	☐	☐	☐
B A44110	Steel Liner Brass Nipple	10ft	.030"-.045"/0.8-1.2mm		☐	☐	☒	☐	☐	☐	☐	☐	☐	☐
A44115	Steel Liner Brass Nipple	15ft	.030"-.045"/0.8-1.2mm		☐	☐	☒	☐	☐	☐	☐	☐	☐	☐
A 44210	Steel Liner Plastic Nipple	10ft	.045"-1/16"/1.2-1.6mm		☐	☐	☐	☒	☐	☐	☐	☐	☐	☐
44215	Steel Liner Plastic Nipple	15ft	.045"-1/16"/1.2-1.6mm		☐	☐	☐	☒	☐	☐	☐	☐	☐	☐
B 44210	Steel Liner Brass Nipple	10ft	.045"-1/16"/1.2-1.6mm		☐	☐	☐	☒	☐	☐	☐	☐	☐	☐
A44215	Steel Liner Brass Nipple	15ft	.045"-1/16"/1.2-1.6mm		☐	☐	☐	☒	☐	☐	☐	☐	☐	☐
C 44215X	Polyamide Liner Brass Nipple	15ft	.045"-1/16"/1.2-1.6mm		☐	☒	☒	☐	☐	☒	☒	☒	☒	☒
A 44310	Steel Liner Plastic Nipple	10ft	5/64"/2.0mm				☒	☒			☒			☒
44315	Steel Liner Plastic Nipple	15ft	5/64"/2.0mm				☒	☒			☒			☒
B 45410	Steel Liner Brass Nipple	10ft	3/32"/2.4mm					☒			☒			☒
45415	Steel Liner Brass Nipple	15ft	3/32"/2.4mm					☒			☒			☒
D QJL-2330	Jump Liner	1ft	.023"-.030"/0.6-0.8mm							☒	☒	☐		
D QJL-3545	Jump Liner	1ft	.035"-.045"/0.9-1.2mm							☒	☒	☐		
D QJL-116	Jump Liner	1ft	.063"/1.6mm							☐	☐	☒		

■ Solid Box = Recommended Liner
□ Clear Box = Compatible Liner


Colour Code

0.6-0.9mm Wire ☒ Blue 1.2-1.6mm Wire ☒ Yellow
1.0-1.2mm Wire ☒ Red 2.0-2.4mm Wire ☒ Green


*Torch models are not illustrated but are available to order as a Custom Build, please contact the sales office for more information.




BND C'FIRE Nozzles




Stock Code	Description	Bore	Model
A NS-1218B	Brass Nozzle	13mm/1/2"	Q20, Q30




Stock Code	Description	Bore	Model
B NS-5818C	Copper Nozzle	13mm/1/2"	Q20, Q30




Stock Code	Description	Bore	Model
C N-3414C	Copper Nozzle	19mm/3/4"	Q40



Stock Code	Description	Bore	Model
D N-5818C	Copper Nozzle	16 mm/5/8"	Q40




Stock Code	Description	Bore	Model
E N-5814C	Copper Nozzle	16 mm/5/8"	Q40




Stock Code	Description	Bore	Model
F NST-3818B	Brass Nozzle	9.5mm/3/8"	Q20, Q30

BND C'FIRE Contact Tips




Stock Code	Description	Material	Wire Size	Model
A T-023	Contact Tip	ECu	0.6mm/.023"	Range
T-030	Contact Tip	ECu	0.8mm/.030"	Range
T-035	Contact Tip	ECu	0.9mm/.035"	Range
T-039	Contact Tip	ECu	1.0mm/.039"	Range
T-045	Contact Tip	ECu	1.2mm/.045"	Range
T-052	Contact Tip	ECu	1.4mm/.052"	Range
T-062	Contact Tip	ECu	1.6mm/1/16"	Range
T-078	Contact Tip	ECu	2.0mm/5/64"	Range




Stock Code	Description	Material	Wire Size	Model
B TT-035	Contact Tip	ECu	0.9mm/.035"	Range
TT-042	Contact Tip	ECu	1.2mm/.045"	Range
TT-052	Contact Tip	ECu	1.4mm/.052"	Range

BND C'FIRE Head Assemblies



Stock Code	Description	Tip Series	Model
A DS-1	Head Assembly	T-00	Q20, Q30



Stock Code	Description	Tip Series	Model
B D-1	Head Assembly	13mm/1/2"	Q20, Q30